

WAAS CH 70743 W24A	APP CRS 235°	Rwy Idg TDZE Apt Elev	3693 435 435
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 24

NEW GARDEN (N57)

RNP APCH.


NA Rwy 24 helicopter visibility reduction below 1 SM NA. Obtain local altimeter setting on CTAF; when local altimeter not received, use New Castle altimeter setting and increase all MDA 80 feet. Increase LP Cat C visibility $\frac{3}{8}$ SM, LNAV Cat C visibility $\frac{1}{4}$ SM and Circling Cat C visibility $\frac{1}{4}$ SM.

MISSED APPROACH: Climb to 2200 direct DELFA and hold.



PHILADELPHIA APP CON
124.35 319.15

CLNC DEL
125.6

UNICOM
123.05 (CTAF)



ELEV 435	TDZE 435
----------	----------



CATEGORY	A	B	C	D
LP MDA	880-1	445 (500-1)	880-1 $\frac{1}{8}$ 445 (500-1 $\frac{1}{8}$)	NA
LNAV MDA	900-1	465 (500-1)	900-1 $\frac{3}{8}$ 465 (500-1 $\frac{3}{8}$)	NA
CIRCLING	960-1	525 (600-1)	960-1 $\frac{1}{2}$ 525 (600-1 $\frac{1}{2}$)	NA

NE-4, 22 FEB 2024 to 21 MAR 2024

NE-4, 22 FEB 2024 to 21 MAR 2024


WAAS CH 66043 W06A	APP CRS 055°	Rwy Idg TDZE Apt Elev	3693 435 435
--	------------------------	-----------------------------	---

RNAV (GPS) RWY 6

NEW GARDEN (N57)

RNP APCH.		MISSED APPROACH: Climb to 2200 direct ZEYNU and hold.
VDP NA when using New Castle altimeter setting. Obtain local altimeter setting on CTAF; when local altimeter setting not received, use New Castle altimeter setting and increase all MDA 80 feet. Increase LP Cat C visibility 3/8 SM, LNAV Cat C visibility 1/4 SM and Circling Cat C visibility 1/2 SM.		


PHILADELPHIA APP CON 124.35 319.15	CLNC DEL 125.6	UNICOM 123.05 (CTAF) 0
--	--------------------------	----------------------------------



NE-4, 22 FEB 2024 to 21 MAR 2024

NE-4, 22 FEB 2024 to 21 MAR 2024

ELEV 435	TDZE 435
----------	----------



CATEGORY	A	B	C	D
LP MDA	800-1 365 (400-1)			NA
LNAV MDA	820-1	385 (400-1)	820-1/8 385 (400-1/8)	NA
CIRCLING	960-1	525 (600-1)	960-1/2 525 (600-1/2)	NA

